#### NOTICE TO BIDDERS

## Worcester County Commissioners Worcester County, Maryland

#### **Purchase of New Vehicles**

The Worcester County Commissioners are currently accepting bids for the purchase of new vehicles for use by various County Departments. Bid specification packages and bid forms are available at the Office of the County Commissioners, Worcester County Government Center – Room 1103, One West Market Street, Snow Hill, Maryland 21863-1072, obtained online at <a href="www.co.worcester.md.us">www.co.worcester.md.us</a> or by calling the Commissioners' Office at 410-632-1194 to request a package by mail. **Sealed bids will be accepted until 1:00 p.m., Tuesday, October 19, 2021** in the Office of the County Commissioners at the above address, at which time they will be opened and publicly read aloud. **Envelopes shall be marked "Vehicle Bid" in the lower left-hand corner.** After opening, the bids will be forwarded to the Department of Public Works for tabulation, review and recommendation to the County Commissioners for their consideration at a future meeting. In awarding the bid, the Commissioners reserve the right to reject any and all bids, waive formalities, informalities, and technicalities therein, and to take whatever bid they determine to be in the best interest of the County considering lowest or best bid, quality of goods and work, time of delivery or completion, responsibility of bidders being considered, previous experience of bidders with County contracts, or any other factors they deem appropriate. All inquiries shall be directed to Mr. Derrick Babcock, Fleet Management Superintendent, at 410-632-9300 ext. 2320 or 410-632-5675.

## **INSTRUCTIONS TO BIDDERS**

#### 1. BIDS

Bids should be submitted in sealed envelopes clearly marked in the lower left-hand corner "Vehicle Bid".

## 2. LATE BIDS

Bids should be mailed or hand carried to be received in the Office of the County Commissioners by or before Tuesday, October 19, 2021 by 1:00 p.m. Bids received after the appointed time will not be considered.

#### 3. TAXES

The County is exempt from all Federal and State taxes. Your prices should reflect same.

#### 4. SPECIFICATIONS

Specifications for the following vehicles are attached:

- 1. 1 ½ Ton 4x2 Full Size Pickup Truck (Detention Center)
- 2.  $1 \frac{3}{4}$  Ton 4x4 Full Size Crew Cab Pickup Truck (Fire Marshal)
- 3. 1 SUV Full Size 4x4 (Sheriff)
- 4. 2 Midsize Sedan (DRP)
- 5. 1 Midsize Sedan (Environmental Programs)
- 6. 1 Compact SUV (Environmental Programs)
- 7.  $1 \frac{1}{2}$  Ton 4x4 Full Size Pickup Truck (Environmental Programs)
- 8.  $3 \frac{3}{4}$  Ton 4x2 Double/Extended Cab Pickup with Utility Body (DPW Maintenance)
- 9.  $1 \frac{1}{2}$  Ton 4x4 Full Size Double/Extended Cab Pickup Truck (Mosquito Control)
- 10. 1 Midsize Sedan (Recreation)
- 11.  $1 \frac{1}{2}$  Ton 4x2 Full Size Pickup Truck (Parks)
- 12.  $1 \frac{3}{4}$  Ton 4x4 Full Size Pickup Truck (Parks)
- 13. 1 Compact 4x2 Cargo Van with Shelving (Library)
- 14.  $1 \frac{3}{4}$  Ton 4x4 Full Size Pickup Truck (DPW Solid Waste)
- 15. 4 ½ Ton 4x2 Full Size Pickup Truck (DPW WWW)
- 16. 1 3/4 Ton 4x2 Full Size Pickup Truck with Utility Body and Lift Gate (DPW WWW)

#### 5. OTHER SPECIFICATIONS

The Worcester County Commissioners will accept bids for new prior year models that meet all specifications in addition to current production year models.

Vendors are responsible for delivery of awarded vehicle to the DPW, Maintenance Building located at 6113 Timmons Road, Snow Hill, Maryland. All paperwork will accompany vehicles, as the County will be responsible for acquiring their tags and titles. Payment will be made within 15 days of delivery.

#### 6. AWARD OF CONTRACT

Bids will be opened in the County Commissioners office at 1:00 p. m. on Tuesday, October 19, 2021 to be awarded at a future date. In awarding the bid, the Commissioners reserve the right to reject any and all bids, waive formalities, informalities, and technicalities therein, and to take whatever bid they determine to be in the best interest of the County considering lowest or best bid, quality of goods and work, time of delivery or completion, responsibility of bidders being considered, previous experience of bidders with County contracts, or any other factors they deem appropriate.

## #1 - VEHICLE SPECIFICATIONS - ½ TON 4X2 Full Size Pickup Truck (Detention Center)

One (1) New ½ Ton Full Size Pickup Truck to be equipped as follows:

Standard regular cab

Bed size: 8' with wheel well inside body

Drive type:

Payload:

GVWR:

6,000 lb. minimum

Wheelbase:

2-wheel rear drive

1,900 lb. minimum

139" minimum

Engine: Six cylinder, 3.3L minimum, gasoline, Fuel injected

Transmission: Automatic with overdrive

Towing Package: Class IV trailer hitch receiver with reducers, 7 spade + 4 pin plug

Battery: 610 CCA minimum
Alternator: 150 amp minimum
Suspension: To meet payload
Air bags: Driver and passenger

Shock absorbers: Front and rear Wheels: 17" steel minimum

Tires: All season radial to meet payload with conventional spare

wheel and tire

Brakes: Power with anti-lock system

Steering: Power Fuel tank: Standard

Mirrors: Dual 6"x9" side view mirrors
Bumpers: Matching painted front and rear

Interior: Vinyl split bench seat Air conditioning: Factory installed

Windshield wipers: Washer with intermittent action

Tinted glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power point or power outlet

AM-FM radio equipped with Bluetooth for cell phone linking

Vinyl/Rubber flooring

Exterior Color: White

Daytime running lights Front license plate bracket

Spray in bed liner

Integrated Trailer Brake Controller

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 1500, Ford F150, Ram 1500 or comparable model.

## #2 - VEHICLE SPECIFICATIONS - 3/4 Ton 4X4 Full Size Crew Cab Pickup Truck (Fire Marshal)

One (1) New <sup>3</sup>/<sub>4</sub> Ton 4x4 Full Size Crew Cab Pickup Truck to be equipped as follows:

4 Door Crew Cab

Bed Size: Short bed with wheel well inside body

Drive Type: 4-wheel drive, electronically controlled from dash (No floor

shifter)

Wheelbase: 150" Minimum

Engine: Eight-cylinder, gasoline, fuel injected 6.2 liter or equivalent
Towing package: Class IV trailer hitch receiver with reducers, 7 spade + 4 pin
Transmission: Automatic with overdrive and auxiliary transmission oil cooler

Alternator: Extra heavy-duty alternator

Dual Batteries (2) Heavy duty batteries under hood

Air Bags: Driver and passenger Shock Absorbers: Front and Rear Wheels: 17" Steel minimum

Tires: All season radial to meet payload with conventional spare wheel

and tire

Brakes: Power with anti-lock system

Steering: Power Fuel Tank: Standard

Mirrors: Dual 6" x 9" side view mirrors

Bumpers: Matching painted front bumper and rear step bumper

Interior: Vinyl front bucket seats with deleted center console, and Rear

vinyl bench seat. Interior color (Black or Ebony)

Power Group: Power windows, door locks, mirrors, and keyless entry

Cruise Control

Air Conditioning: Factory installed

Windshield Wipers: Washer with intermittent action

Locking Rear Differential

Front Tow Hooks Halogen Headlights

Tinted Glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power Point or Power Outlet

AM-FM Radio equipped with Bluetooth for cell-phone linking

Exterior Color: White

Spray in bed liner

Integrated Trailer Brake Controller

Front tag bracket 110 Volt Power Outlet Vinyl/Rubber flooring

Fleet Free Maintenance Credit (If applicable)

Three (3) Keys and Three (3) key fobs to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 2500, Ford F-250, Ram 2500 or comparable model

## #3 - VEHICLE SPECIFICATIONS - FULL SIZE 4X4 SUV (Not Pursuit Rated) (Sheriff)

ONE (1) New SUV full size 4x4 to be equipped as follows:

Payload: 1,700 lbs. minimum GVWR: 7,000 lbs. minimum Wheelbase: 119" minimum

Engine: 3.5L minimum displacement, gasoline

Transmission: 10 Speed Automatic

Towing Package: Heavy Duty, Class IV trailer hitch receiver with reducers,

7 spade + 4 pin plug, and electric brake controller installed

Battery: 675 cold cranking amps minimum

Alternator: 150 amp minimum
Axles and springs: To meet payload
Shock absorbers: Front and rear

Tires: Manufacturer's standard radial to meet payload with

conventional spare wheel and tire

Brakes: Power with 4-wheel ABS

Steering: Electronic Power assist with tilt/telescoping column

Fuel tank: 23 gallon minimum

Mirrors: Dual factory installed remote control and electric-heated.

Bumpers: Front and rear

Body: 4 door, 5' minimum, full steel top

Seats: Cloth bucket seats in front, 2<sup>nd</sup> and 3<sup>rd</sup> row vinyl bench seats

Floor covering: Full heavy-duty vinyl

Eight-way power driver's seat Factory air conditioning

Tinted glass

Driver side air bag supplemental restraint system and front seat passenger position

Heater/defroster – fresh air type

Directional signals

Windshield wipers – multi-speed electric with intermittent action feature

No floor console Rear A/C and heat Rear window defroster

Power point

AM/FM/CD stereo radio with Bluetooth for cell phone linking

Power operated window and door locks

Child safety locks

Exterior Color: Silver Metallic

Interior Color: Black

Front license plate bracket

Front tow hooks
Factory undercoating
Cruise control
Running boards

Heavy duty trans oil cooler and radiator

Delete daytime running lights Easy Fuel (cap less refueling)

Fleet free maintenance credit (If applicable) Six (6) keys to be supplied with this vehicle

Acceptable Models: Ford Expedition or Comparable model.

## #4 - VEHICLE SPECIFICATIONS - Midsize Sedan - (DRP)

Two (2) New Midsize Sedan to be equipped as follows:

Four Door Midsize Sedan

Engine: Four Cylinder Engine, 1.5L minimum, Fuel Injected

Transmission: Automatic

Radial Tires: All season tires, Spare Tire with jack

Wheelbase: 110" minimum

Four Wheel Antilock Disc Brakes

**Power Steering** 

Factory Air Conditioning

Windshield Wipers - Washer with Intermittent Action

Air bags - Driver, Passenger and Side Interior - Carpet Floor and Cloth Seats

Exterior Color - White Daytime Running Lights

Front Floor Mats

AM/FM/CD stereo radio with Bluetooth for cell phone linking

Power windows, door locks, mirrors, and keyless entry

Cruise Control

Tilt Steering Wheel

**Power Point** 

Padded Dashboard

Left and Right Outside Mirrors

Fresh Air type Heater and Defroster

**Directional Signals** 

Back up Lights

Light in Cargo Area

Front license Plate Bracket

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Malibu, Ford Fusion, or comparable model.

## # 5 - VEHICLE SPECIFICATIONS – Midsize Sedan – (Environmental Programs)

One (1) New Midsize Sedan to be equipped as follows:

Four Door Midsize Sedan

Engine: Four Cylinder Engine, 1.5L minimum, Fuel Injected

Transmission: Automatic

Radial Tires: All season tires, Spare Tire with jack

Wheelbase: 110" minimum

Four Wheel Antilock Disc Brakes

**Power Steering** 

Factory Air Conditioning

Windshield Wipers - Washer with Intermittent Action

Air bags - Driver, Passenger and Side Interior - Carpet Floor and Cloth Seats

Exterior Color - White Daytime Running Lights

Front Floor Mats

AM/FM/CD stereo radio with Bluetooth for cell phone linking

Power windows, door locks, mirrors, and keyless entry

Cruise Control

Tilt Steering Wheel

Power Point

Padded Dashboard

Left and Right Outside Mirrors

Fresh Air type Heater and Defroster

Directional Signals

Back up Lights

Light in Cargo Area

Front license Plate Bracket

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Malibu, Ford Fusion, or comparable model.

## # 6 - VEHICLE SPECIFICATIONS - Compact SUV - (Environmental Programs)

One (1) New Compact SUV to be equipped as follows:

Four Door Compact SUV

Engine: Four Cylinder Engine, 1.5L minimum, Fuel Injected

Transmission: Automatic

Radial Tires: All season tires, Spare Tire with jack

Wheelbase: 106" minimum

Four Wheel Antilock Disc Brakes

**Power Steering** 

Factory Air Conditioning

Windshield Wipers - Washer with Intermittent Action

Air bags - Driver, Passenger and Side Interior - Carpet Floor and Cloth Seats

Exterior Color - White Daytime Running Lights

Front Floor Mats

AM/FM/CD stereo radio with Bluetooth for cell phone linking

Power windows, door locks, mirrors, and keyless entry

Cruise Control Power Point

Padded Dashboard

Left and Right Outside Mirrors

Fresh Air type Heater and Defroster

**Directional Signals** 

Back up Lights

Light in Cargo Area

Front license Plate Bracket

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Equinox, Ford Escape, or comparable model.

#### #7 - VEHICLE SPECIFICATIONS – ½ TON 4X4 Full Size Pickup Truck (Environmental Programs)

One (1) New ½ Ton 4x4 Full Size Pickup Truck to be equipped as follows:

Standard regular cab

Bed size: 8' with wheel well inside body

Drive type:

Payload:

GVWR:

4-wheel rear drive
1,900 lb. minimum
6,300 lb. minimum
4-wheelbase:
139" minimum

Engine: Six cylinder, 3.3L minimum, gasoline, Fuel injected

Transmission: Automatic with overdrive

Towing package: Class IV trailer hitch receiver with reducers, 7 spade + 4 pin plug

Battery: 610 CCA minimum
Alternator: 150 amp minimum
Suspension: To meet payload
Air bags: Driver and passenger

Shock absorbers: Front and rear Wheels: 17" steel minimum

Tires: All season radial to meet payload with conventional spare

wheel and tire

Brakes: Power with anti-lock system

Steering: Power Fuel tank: Standard

Mirrors: Dual 6"x9" side view mirrors
Bumpers: Matching painted front and rear

Interior: Vinyl split bench seat Air conditioning: Factory installed

Windshield wipers: Washer with intermittent action

Tinted glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power point or power outlet

AM-FM radio equipped with Bluetooth for cell phone linking

Vinyl/Rubber flooring

Exterior Color: White

Daytime running lights Front license plate bracket

Spray in bed liner Front tow hooks

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 1500, Ford F150, Ram 1500 or comparable model.

#### #8 - VEHICLE SPECIFICATIONS - 3/4 Ton 4x2 Double/Extended Cab Truck w/ Utility Body (Maint.)

Three (3) New <sup>3</sup>/<sub>4</sub> Ton 4x2 Double/Extended Cab Trucks with Utility Bodies to be equipped as follows:

Three Quarter Ton Double/Extended Truck Cab

Single Rear Wheels

Payload: 3,400 lbs. Minimum GVWR: 8,600 lbs. Minimum Wheelbase: 148" Minimum

Engine: Eight cylinder, 6.2L EFI V-8 Minimum Displacement, Fuel

Injected, Gasoline, Naturally Aspirated

Transmission: Automatic with oil cooler

Battery: Heavy Duty 600 CCA Minimum

Alternator: 150 Amp minimum
Axles & Springs: To meet payload
Shock Absorbers: Front and Rear
Air Bags: Driver and passenger
Wheels: 17" Steel minimum

Tires: Manufacturer's Standard to meet payload with conventional

spare wheel and tire – black wall

Brakes: Power with Four (4) wheel ABS

Steering: Power Fuel Tank: Standard

Mirrors: Telescoping or camper style retractable mirror

Bumpers: Front Only Interior: Vinyl

Air Conditioning: Factory installed

Towing Package: Receiver hitch, class IV with reducer, and 7 blade plug connector

**Tinted Glass** 

Fresh air type heater and defroster

Directional signals

Windshield Wipers: Washer with intermittent action

Power Point or Power Outlet

AM-FM radio equipped with Bluetooth for cell phone linking

Exterior Color: White

**Daytime Running Lights** 

Integrated Trailer Brake Controller

Locking Rear Differential 12VDC/120VAC power inverter Driver and Passenger assist steps

Fleet Free Maintenance Credit (If applicable)

#### Three (3) Utility bodies to be equipped as follows:

Eight Feet long with a 56" minimum cab to Axle Ratio

Standard AB Compartment with standard service body (Model Knapheide 796 or Equal)

Body length - 96"

Body height - 40"

Compartment width - 78"

Compartment depth – 14.5"

Floor width – 49"

Galva-Grip - Knap-liner Bumper or equal equipped with a class IV receiver hitch

Master locking system for locking an entire compartment side

Door Chains and Rubber Bumper Door Guards on all Horizontal Compartments

Recessed Gas Filler Nozzle

Recess Brake and Backup Lights in Rear Panels

Mount a Seven (7) blade Lock Socket at Rear with Harness Wired to Code

Backup Alarm, Presco Model 1030, Self-Adjusting of Equal

Paint to match Factory Exterior Color of Vehicle

Primer-12 Stage Automotive Electro-Cathodic Immersion

Spray in Bedliner to cover top of Bumper, floor, sides and top of utility body

Utility Body LED Compartment Lighting

Acceptable Models: Ford F250, Chevrolet Silverado 2500 HD, Ram 2500 or comparable model.

## # 9 - VEHICLE SPECIFICATIONS - ½ Ton 4x4 Full Size Double/Extended Cab Pickup Truck (Mosquito Control)

One (1) New ½ Ton 4x4 Full Size Extended Cab Pickup Truck to be equipped as follows:

Extended cab

Bed size: 6'4" with wheel well inside body

Drive type: 4-wheel drive
Payload: 1,700 lb. minimum
GVWR: 6,400 lb. minimum
Wheelbase: 140" minimum

Engine: 8 cylinder, 5.0L minimum, gasoline, Fuel injected

Transmission:

Battery:

Alternator:

Suspension:

Air bags:

Shock absorbers:

Automatic with overdrive

610 CCA minimum

160 amp minimum

To meet payload

Driver and passenger

Front and rear

Wheels: 17" steel minimum

Tires: All season radial to meet payload with conventional spare

wheel and tire

Brakes: Power with anti-lock system

Steering: Power Fuel tank: Standard

Mirrors: Dual 6"x9" side view mirrors
Bumpers: Matching painted front and rear

Interior: Vinyl split 40/20/40 bench seat, standard rear seat

Air conditioning: Factory installed

Windshield wipers: Washer with intermittent action

Power Group: Power windows, door locks, mirrors, and keyless entry

Cruise Control

Tinted glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power point or power outlet

AM-FM radio equipped with Bluetooth for cell phone linking

Vinyl Floor

Exterior Color: White Driver and Passenger Assist Steps (Running Boards)

Daytime running lights Front license plate bracket Spray on Bed-liner

Towing Package: Receiver hitch, class IV with four/seven pin plug connector

Front tow hooks

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 1500, Ford F150, Ram 1500 or comparable model

## # 10 - VEHICLE SPECIFICATIONS – Midsize Sedan – (Recreation)

One (1) New Midsize Sedan to be equipped as follows:

Four Door Midsize Sedan

Engine: Four Cylinder Engine, 1.5L minimum, Fuel Injected

Transmission: Automatic

Radial Tires: All season tires, Spare Tire with jack

Wheelbase: 110" minimum

Four Wheel Antilock Disc Brakes

**Power Steering** 

Factory Air Conditioning

Windshield Wipers - Washer with Intermittent Action

Air bags - Driver, Passenger and Side Interior - Carpet Floor and Cloth Seats

Exterior Color - White Daytime Running Lights

Front Floor Mats

AM/FM/CD stereo radio with Bluetooth for cell phone linking

Power windows, door locks, mirrors, and keyless entry

Cruise Control

Tilt Steering Wheel

**Power Point** 

Padded Dashboard

Left and Right Outside Mirrors

Fresh Air type Heater and Defroster

**Directional Signals** 

Back up Lights

Light in Cargo Area

Front license Plate Bracket

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Malibu, Ford Fusion, or comparable model.

## #11 - VEHICLE SPECIFICATIONS - ½ TON 4X2 Full Size Pickup Truck (Parks)

One (1) New ½ Ton 4x2 Full Size Pickup Truck to be equipped as follows:

Standard regular cab

Bed size: 8' with wheel well inside body

Drive type:

Payload:

GVWR:

2-wheel rear drive
1,900 lb. minimum
6,000 lb. minimum
139" minimum

Engine: Six cylinder, 3.3L minimum, gasoline, Fuel injected

Transmission: Automatic with overdrive

Towing Package: Class IV trailer hitch receiver with reducers, 7 spade + 4 pin plug

Battery: 610 CCA minimum
Alternator: 150 amp minimum
Suspension: To meet payload
Air bags: Driver and passenger

Shock absorbers: Front and rear Wheels: 17" steel minimum

Tires: All season radial to meet payload with conventional spare

wheel and tire

Brakes: Power with anti-lock system

Steering: Power Fuel tank: Standard

Mirrors: Dual 6"x9" side view mirrors
Bumpers: Matching painted front and rear

Interior: Vinyl split bench seat
Air conditioning: Factory installed

Windshield wipers: Washer with intermittent action

Tinted glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power point or power outlet

AM-FM radio equipped with Bluetooth for cell phone linking

Vinyl/Rubber flooring

Exterior Color: White

Daytime running lights Front license plate bracket

Integrated Trailer Brake Controller

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 1500, Ford F150, Ram 1500 or comparable model.

## #12 - VEHICLE SPECIFICATIONS - 3/4 TON 4X4 Full Size Pickup Truck (Parks)

One (1) New 3/4 Ton 4x4 Full Size Pickup Truck to be equipped as follows:

Standard regular cab

Bed Size: 8' with wheel well inside body

Drive Type: 4-wheel drive Wheelbase: 140" Minimum

Engine: Eight-cylinder, gasoline, fuel injected 6.2 liter or equivalent
Towing package: Heavy Duty, Class IV trailer hitch receiver with reducers, 7 spade

+ 4 pin plug connection

Transmission: Automatic with overdrive and auxiliary transmission oil cooler

Battery: 610 CCA minimum
Alternator: 150 Amp minimum
Air Bags: Driver and passenger
Shock Absorbers: Front and Rear
Wheels: 17" Steel minimum

Tires: All season radial to meet payload with conventional spare wheel

and tire

Brakes: Power with anti-lock system

Steering: Power Fuel Tank: Standard

Mirrors: Dual 6" x 9" side view mirrors

Bumpers: Matching painted front bumper and rear step bumper

Interior: Vinyl splint bench seat Air Conditioning: Factory installed

Windshield Wipers: Washer with intermittent action

Power Group: Power windows, door locks, mirrors, and keyless entry

Cruise Control

Locking Rear Differential

Front Tow Hooks Halogen Headlights

Tinted Glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power Point or Power Outlet

AM-FM Radio equipped with Bluetooth for cell-phone linking

Exterior Color: White

Daytime Running Lights

Spray in bed liner

Integrated Trailer Brake Controller

Front tag bracket Vinyl/Rubber flooring

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 2500, Ford F250, Ram 2500 or comparable model.

## #13 - VEHICLE SPECIFICATIONS – Compact 4X2 Cargo Van (Library)

One (1) New Compact 4x2 Low Roof Cargo Van to be equipped as follows:

Engine: 2.0 Liter 4 cylinder minimum, Fuel Injected

Transmission: Automatic
Power Brakes: ABS

Electric Power assisted steering

Radial Tires: All Weather Tread

Spare Wheel and Tire with Jack

Air bag Supplemental Restraint System for Driver and Front Seat Passenger

Alternator: 150 amps

Battery: 600 cold cranking amps

Wheelbase: 120"

Factory Air Conditioning

Power Windows and Door locks

Dual sliding side doors

Tire Pressure Monitoring System

Windshield Wiper/Washer: Multi-Speed Electric with Intermittent Action

AM/FM Radio equipped with Bluetooth for cell-phone linking

Exterior Color: White

Interior: Vinyl Upholstery in Charcoal black

Floor Covering: Black Rubberized Vinyl

Tinted glass

Large Mirrors: Dual Factory Outside Manual Fold - Black

Daytime Running Lights

**Power Outlets** 

Rear 180degree swing out cargo doors

Front tag bracket Rear cargo light Rear view camera

Standard contractor shelving on both sides of rear cargo area with safety partition

Keyless entry keypad

Two (2) programmed keys to be supplied with this vehicle

Fleet Free Maintenance Credit (If applicable)

Acceptable Models: Ford Transit Connect XL, Ram Promaster City, or comparable model.

## #14 - VEHICLE SPECIFICATIONS – 3/4 TON 4X4 Full Size Pickup Truck (DPW Solid Waste)

One (1) New <sup>3</sup>/<sub>4</sub> Ton 4x4 Full Size Pickup Truck to be equipped as follows:

Standard regular cab

Bed Size: 8' with wheel well inside body

Drive Type: 4-wheel drive Wheelbase: 140" Minimum

Engine: Eight-cylinder, gasoline, fuel injected 6.2 liter or equivalent
Towing package: Class IV trailer hitch receiver with reducers, 7 spade + 4 pin plug
Transmission: Automatic with overdrive and auxiliary transmission oil cooler

Battery: 600 CCA minimum
Alternator: 150 Amp minimum
Air Bags: Driver and passenger
Shock Absorbers: Front and Rear
Wheels: 17" Steel minimum

Tires: All season radial to meet payload with conventional spare wheel

and tire

Brakes: Power with anti-lock system

Steering: Power Fuel Tank: Standard

Mirrors: Dual 6" x 9" side view mirrors

Bumpers: Matching painted front bumper and rear step bumper

Interior: Vinyl splint bench seat Air Conditioning: Factory installed

Windshield Wipers: Washer with intermittent action

Power Group: Power windows, door locks, mirrors, and keyless entry

Cruise Control

Locking Rear Differential

Front Tow Hooks Halogen Headlights

Tinted Glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power Point or Power Outlet

AM-FM Radio equipped with Bluetooth for cell-phone linking

Exterior Color: White

**Daytime Running Lights** 

Back rack for beacon light-tool box mounts LED strobe light installed on back rack Integrated Trailer Brake Controller

Front tag bracket Vinyl/Rubber flooring

Fleet Free Maintenance Credit (If applicable)

Heavy Duty Tow Package

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 2500, Ford F250, Ram 2500 or comparable model.

#### #15 - VEHICLE SPECIFICATIONS - ½ TON 4X2 Full Size Pickup Truck (DPW / WWW)

Four (4) New ½ Ton 4x2 Full Size Pickup Truck to be equipped as follows:

Standard regular cab

Bed size: 8' with wheel well inside body

Drive type:

Payload:

GVWR:

2-wheel rear drive
1,900 lb. minimum
6,000 lb. minimum
Wheelbase:

139" minimum

Engine: Six cylinder, 3.3L minimum, gasoline, Fuel injected

Transmission: Automatic with overdrive

Towing Package: Class IV trailer hitch receiver with reducers, 7 spade + 4 pin plug

Battery: 610 CCA minimum
Alternator: 150 amp minimum
Suspension: To meet payload
Air bags: Driver and passenger

Shock absorbers: Front and rear Wheels: 17" steel minimum

Tires: All season radial to meet payload with conventional spare

wheel and tire

Brakes: Power with anti-lock system

Steering: Power Fuel tank: Standard

Mirrors: Dual 6"x9" side view mirrors
Bumpers: Matching painted front and rear

Interior: Vinyl split bench seat Air conditioning: Factory installed

Windshield wipers: Washer with intermittent action

Tinted glass with dual sun visors Fresh air type heater and defroster

Directional signals

Power point or power outlet

AM-FM radio equipped with Bluetooth for cell phone linking

Vinyl/Rubber flooring

Exterior Color: White

Daytime running lights Front license plate bracket

Back rack for beacon light-tool box mounts LED strobe light installed on back rack Integrated Trailer Brake Controller

Fleet Free Maintenance Credit (If applicable)

Two (2) programmed keys to be supplied with this vehicle

Acceptable Models: Chevrolet Silverado 1500, Ford F150, Ram 1500 or comparable model.

## # 16 - VEHICLE SPECIFICATIONS – 3/4 Ton 4x2 Full Size Pickup Truck with Utility Body & Lift Gate (DPW WWW)

One (1) New <sup>3</sup>/<sub>4</sub> Ton 4x2 Full Size Pickup Truck with Utility Body & Lift Gate to be equipped as follows:

Three Quarter Ton Regular Truck Cab

Single Rear Wheels

Payload: 3,400 lbs. Minimum **GVWR**: 8,600 lbs. Minimum Wheelbase: 140" Minimum

Engine: Eight cylinder, 6.2L EFI V-8 Minimum Displacement, Fuel

Injected, Gasoline, Naturally Aspirated

Transmission: Automatic with oil cooler

Heavy Duty 600 CCA Minimum Battery:

150 Amp minimum Alternator: To meet payload Axles & Springs: **Shock Absorbers:** Front and Rear Air Bags: Driver and passenger Wheels: 17" Steel minimum

Manufacturer's Standard to meet payload with conventional Tires:

spare wheel and tire - black wall

Power with Four (4) wheel ABS Brakes:

Steering: Power Fuel Tank: Standard

Mirrors: Telescoping or camper style retractable mirror

Bumpers: Front Only Vinyl Interior:

Air Conditioning: Factory installed

Towing Package: Receiver hitch, class IV with Reducer, 7 blade plug connector

Fresh air type heater and defroster

Directional signals

Windshield Wipers: Washer with intermittent action

Power Point or Power Outlet

AM-FM radio equipped with Bluetooth for cell phone linking

**Exterior Color:** White

**Daytime Running Lights** 

Integrated Trailer Brake Controller Driver and Passenger assist steps

Fleet Free Maintenance Credit (If applicable)

## One (1) Utility body and Lift Gate to be equipped as follows:

Eight Feet long

Standard AB Compartment with standard service body (Model Knapheide 596 or Equal)

Body length - 96" Body height - 40"

Compartment width - 78"

Compartment depth – 14.5"

Floor width – 49"

Galva-Grip - Knap-liner Bumper or equal equipped with a class IV receiver hitch

Master locking system for locking an entire compartment side

Door Chains and Rubber Bumper Door Guards on all Horizontal Compartments

Recessed Gas Filler Nozzle

Recess Brake and Backup Lights in Rear Panels

Mount a Seven (7) blade Lock Socket at Rear with Harness Wired to Code

Backup Alarm

Paint to match Factory Exterior Color of Vehicle

Primer-12 Stage Automotive Electro-Cathodic Immersion

Spray in Bedliner to cover floor and sides

Utility Body LED Compartment Lighting

Hydraulic controlled rear lift gate installed

Acceptable Models: Ford F250, Chevrolet Silverado 2500 HD, Ram 2500 or comparable model.

## WORCESTER COUNTY COMMISSIONERS VEHICLE BID FORM

We submit bids on the following vehicles (specifications attached for each quoted vehicle):

1. One (1) – ½ Ton 4x2 Full Size Pickup Truck (Detention Center)		
Year	Make	Model
Bid (per unit) \$_		-
Total Bid \$_		-
Delivery Time	· · · · · · · · · · · · · · · · · · ·	
2. One (1) $-\frac{3}{4}$	Ton 4x4 Full Size	Crew Cab Pickup Truck (Fire Marshal)
Year	Make	Model
Bid (per unit) \$_		-
Total Bid \$_		-
Delivery Time		
3. One (1) – SU	JV Full Size 4x4 (S	<u>Sheriff)</u>
Year	Make	Model
Bid (per unit) \$_		_
Total Bid \$_		-
Delivery Time_		
4. <u>Two (2) – M</u>	lidsize Sedan (DRF	2)
Year	Make	Model
Bid (per unit) \$_		-
Total Bid \$_		-
Delivery Time		

5. One (1) – Mi	dsize Sedan (Environ	mental Programs)
Year	_ Make	_ Model
Bid (per unit) \$		
Total Bid \$_		
Delivery Time		
6. <u>One (1) – Co</u>	mpact SUV (Environ	mental Programs)
Year	_ Make	_ Model
Bid (per unit) \$		
Total Bid \$_		
Delivery Time		
7. One (1) $-\frac{1}{2}$	Гоп 4x4 Full Size Picl	kup Truck (Environmental Programs)
Year	Make	_ Model
Bid (per unit) \$_		
Total Bid \$_		
Delivery Time		
8. Three (3) $-\frac{3}{7}$	4 Ton 4x2 Double/Ext	ended Cab Pickup with Utility Body (DPW/Maint
Year	_ Make	Model
Bid (per unit) \$_		
Total Bid \$_		
Delivery Time		

9. One (1) – ½ Ton 4x4 Full Size Double/Extended Cab Pickup Truck (Mosquito Control)				
Year	Make	Model		
Bid (per unit) \$_				
Total Bid \$_				
Delivery Time				
10. One (1) – M	idsize Sedan (Recreat	ion)		
Year	Make	_ Model		
Bid (per unit) \$_				
Total Bid \$_				
Delivery Time				
11. One (1) – ½ Ton 4x2 Full Size Pickup Truck (Parks)				
Year	Make	Model		
Bid (per unit) \$_				
Total Bid \$_				
Delivery Time				
12. One (1) – 3/4 Ton 4x4 Full Size Pickup Truck (Parks)				
Year	Make	_ Model		
Bid (per unit) \$_				
Total Bid \$_				
Delivery Time				

13. One (1) Co	mpact 4x2 Cargo Val	n with Shelving (Library)
Year	_ Make	_ Model
Bid (per unit) \$		
Total Bid \$_		
Delivery Time		
14. One (1) $-\frac{3}{4}$	Гоп 4x4 Full Size Picl	kup Truck (DPW Solid Waste)
Year	_ Make	_ Model
Bid (per unit) \$		
Total Bid \$_		
Delivery Time		
15. <u>Four (4) – ½</u>	Ton 4x2 Full Size Pic	kup Truck (DPW WWW)
Year	_ Make	_ Model
Bid (per unit) \$_		
Total Bid \$_		
Total Bid \$ Delivery Time		kup Truck with Utility Body & Lift Gate (WWW)
Total Bid \$  Delivery Time  16. One (1) - 3/4 7	Ton 4x2 Full Size Picl	
Total Bid \$  Delivery Time  16. One (1) - 3/4 '  Year	Ton 4x2 Full Size Picl	kup Truck with Utility Body & Lift Gate (WWW)
Total Bid \$ Delivery Time  16. One (1) - 3/4 '  Year  Bid (per unit) \$	<b>Fon 4x2 Full Size Picl</b> Make	kup Truck with Utility Body & Lift Gate (WWW)

# BID MUST BE SIGNED AND BID VEHICLE SPECIFICATIONS MUST BE ATTACHED TO BE CONSIDERED.

Please note any specific	cation differences when submitting your bid.
Date:	
Signature:	
Typed Name:	
Firm:	
Address:	
Telephone:	
Fax:	
E-Mail Address:	